



Bid Number/बोली क्रमांक (बिड संख्या):  
GEM/2024/B/5322429  
Dated/दिनांक : 09-09-2024

### Bid Document/ बिड दस्तावेज़

Bid Details/बिड विवरण	
Bid End Date/Time/बिड बंद होने की तारीख/समय	24-09-2024 13:00:00
Bid Opening Date/Time/बिड खुलने की तारीख/समय	24-09-2024 13:30:00
Bid Offer Validity (From End Date)/बिड पेशकश वैधता (बंद होने की तारीख से)	180 (Days)
Ministry/State Name/मंत्रालय/राज्य का नाम	Ministry Of Home Affairs
Department Name/विभाग का नाम	Central Armed Police Forces
Organisation Name/संगठन का नाम	Central Industrial Security Force (cisf)
Office Name/कार्यालय का नाम	Cisf Hq 13 Block Cgo Complex Lodhi Road Delhi 03
Total Quantity/कुल मात्रा	30
Item Category/मद केटेगरी	Online UPS (V2) (Q2)
Minimum Average Annual Turnover of the bidder (For 3 Years)/बिडर का न्यूनतम औसत वार्षिक टर्नओवर (3 वर्षों का)	5 Lakh (s)
OEM Average Turnover (Last 3 Years)/मूल उपकरण निर्माता का औसत टर्नओवर (गत 3 वर्षों का)	30 Lakh (s)
Years of Past Experience Required for same/similar service/उन्हीं/समान सेवाओं के लिए अपेक्षित विगत अनुभव के वर्ष	1 Year (s)
MSE Exemption for Years Of Experience/अनुभव के वर्षों से एमएसई छूट/ and Turnover/टर्नओवर के लिए एमएसई को छूट प्राप्त है	Yes
Startup Exemption for Years Of Experience/अनुभव के वर्षों से स्टार्टअप छूट/ and Turnover/ टर्नओवर के लिए स्टार्टअप को छूट प्राप्त है	Yes
Document required from seller/विक्रेता से मांगे गए दस्तावेज़	Experience Criteria,Past Performance,Bidder Turnover,Certificate (Requested in ATC),OEM Authorization Certificate,OEM Annual Turnover,Additional Doc 1 (Requested in ATC) *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer

Bid Details/बिड विवरण	
Do you want to show documents uploaded by bidders to all bidders participated in bid?/	No
Past Performance/विगत प्रदर्शन	10 %
Bid to RA enabled/बिड से रिवर्स नीलामी सक्रिय किया	Yes
RA Qualification Rule	H1-Highest Priced Bid Elimination
Type of Bid/बिड का प्रकार	Two Packet Bid
Primary product category	Online UPS (V2)
Time allowed for Technical Clarifications during technical evaluation/तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय	2 Days
Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	Yes
Inspection to be carried out by Buyers own empanelled agency	Yes
Type Of Inspection	Post Dispatch
Name of the Empanelled Inspection Agency/ Authority	Board of Officers
Auto CRAC Days	10
Evaluation Method/मूल्यांकन पद्धति	Total value wise evaluation

#### EMD Detail/ईएमडी विवरण

Advisory Bank/एडवाइजरी बैंक	State Bank of India
EMD Amount/ईएमडी राशि	46595

#### ePBG Detail/ईपीबीजी विवरण

Advisory Bank/एडवाइजरी बैंक	State Bank of India
ePBG Percentage(%) / ईपीबीजी प्रतिशत (%)	5.00
Duration of ePBG required (Months) / ईपीबीजी की अपेक्षित अवधि (महीने).	38

(a). EMD EXEMPTION: The bidder seeking EMD exemption, must submit the valid supporting document for the relevant category as per GeM GTC with the bid. Under MSE category, only manufacturers for goods and Service Providers for Services are eligible for exemption from EMD. Traders are excluded from the purview of this Policy./जेम की शर्तों के अनुसार ईएमडी छूट के इच्छुक बिडर को संबंधित कटेगरी के लिए बिड के साथ वैध समर्थित दस्तावेज प्रस्तुत करने हैं। एमएसई कटेगरी के अंतर्गत केवल वस्तुओं के लिए विनिर्माता तथा सेवाओं के लिए सेवा प्रदाता ईएमडी से छूट के पात्र हैं। व्यापारियों को इस नीति के दायरे से बाहर रखा गया है।

(b). EMD & Performance security should be in favour of Beneficiary, wherever it is applicable./ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए।

**Beneficiary/लभार्थी :**

DDO

Office of the Inspector General, CISF NCR Sector HQrs. 5th Floor, Block-11, CGO Complex, Lodhi Road, New Delhi-110003

(Assistant Commandant)

**MII Purchase Preference/एमआईआई खरीद वरीयता**

MII Purchase Preference/एमआईआई खरीद वरीयता	Yes
--	-----

**MSE Purchase Preference/एमएसई खरीद वरीयता**

MSE Purchase Preference/एमएसई खरीद वरीयता	Yes
---	-----

1. If the bidder is a Micro or Small Enterprise as per latest definitions under MSME rules, the bidder shall be exempted from the requirement of "Bidder Turnover" criteria and "Experience Criteria" subject to meeting of quality and technical specifications. If the bidder is OEM of the offered products, it would be exempted from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. In case any bidder is seeking exemption from Turnover / Experience Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer.
2. If the bidder is a Startup, the bidder shall be exempted from the requirement of "Bidder Turnover" criteria and "Experience Criteria" subject to their meeting of quality and technical specifications. If the bidder is OEM of the offered products, it would be exempted from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. In case any bidder is seeking exemption from Turnover / Experience Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer.
3. The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated above in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3-year-old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
4. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.
5. OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
6. Preference to Make In India products (For bids < 200 Crore):Preference shall be given to Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum local content to qualify as a Class 1 local supplier is denoted in the bid document. If the bidder wants to avail the Purchase preference, the bidder must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which no purchase preference shall be granted. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company

and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020. Only Class-I and Class-II Local suppliers as per MII order dated 4.6.2020 will be eligible to bid. Non - Local suppliers as per MII order dated 04.06.2020 are not eligible to participate. However, eligible micro and small enterprises will be allowed to participate .The buyers are advised to refer the OM No.F.1/4/2021-PPD dated 18.05.2023.

[OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017.

7. Purchase preference will be given to MSEs having valid Udyam Registration and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service and Buyer will decide eligibility for purchase preference based on documentary evidence submitted, while evaluating the bid. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the OM No. F.1/4/2021-PPD dated 18.05.2023 [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

8. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

9. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 10% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

#### **10. Inspection of Stores by Nominated Inspection Authority / Agency of buyer or their authorized representatives**

An independent third party Professional Inspection Body can help buyer in mitigating buyer's risk with pre-dispatch/post-dispatch inspection in order to ensure that equipment, components, solutions and documentation conform to contractual requirements. The buyer has a right to inspect goods in reasonable manner and within reasonable time at any reasonable place as indicated in contract. Inspection Fee/ Charges (as pre-greed between buyer and Inspection Agency) would be borne by the buyer as per their internal arrangement but may be recovered from the seller if the consignment failed to conform to contractual specification and got rejected by the Inspection Officer .If so requested and accepted by the seller , initially seller may pay for inspection charges as applicable and get the same reimbursed from buyer if consignment accepted by the Inspecting Officer . For reimbursement seller has to submit proof of payment to Inspection Agency.

Seller/OEM shall send a notice in writing / e-mail to the Inspecting officer / inspection agency specifying the place of inspection as per contract and the Inspecting officer shall on receipt of such notice notify to the seller the date and time when the stores would be inspected. The seller shall, at his own expenses, afford to the Inspecting officer, all reasonable facilities as may be necessary for satisfying himself that the stores are being and or have been manufactured in accordance with the technical particulars governing the supply. The decision of the purchaser representative /inspection authority regarding acceptance / rejection of consignment shall be final and binding on the seller.

The Seller shall provide, without any extra charge, all materials, tools, labour and assistance of every kind which the Inspecting officer may demand of him for any test, and examination, other than special or independent test, which he shall require to be made on the seller's premises and the seller shall bear and pay all costs attendant thereon.

The seller shall also provide and deliver store / sample from consignment under inspection free of charge at any

such place other than his premises as the Inspecting officer may specify for acceptance tests for which seller/OEM does not have the facilities or for special/ independent tests.

In the event of rejection of stores or any part thereof by the Inspecting officer basis testing outside owing to lack of test facility at sellers premises, the seller shall, on demand, pay to the buyer the costs incurred in the inspection and/or test. Cost of test shall be assessed at the rate charged by the Laboratory to private persons for similar work.

Inspector shall have the right to put all the stores or materials forming part of the same or any part thereof to such tests as he may like fit and proper as per QAP/governing specification. The seller shall not be entitled to object on any ground whatsoever to the method of testing adopted by the Inspecting officer.

Unless otherwise provided for in the contract, the quantity of the stores or materials expended in test will be borne by seller.

Inspecting officer is the Final Authority to Certify Performance / accept the consignment. The Inspecting officer's decision as regards the rejection shall be final and binding on the seller.

The seller shall if so required at his own expense shall mark or permit the Inspecting officer to mark all the approved stores with a recognised Government or purchaser's mark.

11. Reverse Auction would be conducted amongst all the technically qualified bidders except the Highest quoting bidder. The technically qualified Highest Quoting bidder will not be allowed to participate in RA. However, H-1 will also be allowed to participate in RA in following cases:

- i. If number of technically qualified bidders are only 2 or 3.
- ii. If Buyer has chosen to split the bid amongst N sellers, and H1 bid is coming within N.
- iii. In case Primary product of only one OEM is left in contention for participation in RA on elimination of H-1.
- iv. If L-1 is non-MSE and H-1 is eligible MSE and H-1 price is coming within price band of 15% of Non-MSE L-1
- v. If L-1 is non-MII and H-1 is eligible MII and H-1 price is coming within price band of 20% of Non-MII L-1

## Online UPS (V2) ( 16 pieces )

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

Bis Required	Yes
--------------	-----

### Technical Specifications/तकनीकी विशिष्टियाँ

[\\* As per GeM Category Specification/जेम कैटेगरी विशिष्टि के अनुसार](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Generic	Rating in KVA	2.0 KVA
	Switching Technology	IGBT-PWM
	Input Voltage	AC Single phase 160V - 260V 50Hz
	Output Voltage	AC Single phase 230V +/-1% 50 Hz
	Warranty for UPS (Years)	3, 4, 5 Or higher

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Battery/Backup Bank	<b>Battery/Backup Bank Provided with Online UPS ( Hint: In case the UPS is supplied with battery, seller shall ensure compliance to the GST Rates as per recommendations made in the 45th Meeting of GST council dated 17th Sep 2021 )</b>	With Battery
	<b>Type of Battery (hint: NA in case Battery not provided)</b>	SMF-VRLA conforming to JISC:8702(Pt.I,II&III), Stationary Lead Acid Batteries (with tubular positive plates) in monobloc container conforming to IS:13369:1992 latest
	<b>Backup time (Minutes) (hint: NA in case battery not provided)</b>	60 Minutes
	Minimum Guaranteed VAH	1600 X Per KVA X Per hour of backup time
	<b>Warranty for battery (Years) by Battery Manufacturer/Brand hint: NA in case battery not provided</b>	1, 2, 3, NA Or higher
Installation and Commissioning or Service	Installation and Commissioning ( Covered in the Scope of Supply)	Provided
	After sales service ( Turn Around Time)	Within 24 hours
	Preventive Maintenance ( Hint: Mention Timeline if provided, NA if not provided)	Monthly, Bi-Monthly, Quarterly Or higher
	Other Services provided	PAN India service support on 24 x 7 basis, AMC support available warranty, Availability of spares in close proximity (Spares should be easily available close to the site)
Performance / Functional	<b>Inbuilt isolation transformer</b>	With
	<b>Overall Efficiency (%)</b>	>/=80% & <90% with Inbuilt isolation transformer, >/=90% with Inbuilt isolation transformer, >/=90% & <94% without Inbuilt isolation transformer, >/=94% without Inbuilt isolation transformer
	<b>Overload limit</b>	20% Overload for minimum 10 minute, 50% Overload for minimum 1 minute
	Total Harmonic Distortion(THD) (%)	3% Maximum @ 100% Linear Load
	Other Functional Features	Crest factor on full non-linear load is not less than 3:1

Specification	Specification Name/विशिष्ट का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Accessories	<b>Accessories</b>	Rack for Batteries, Cabling 6 meters ( input upto 3m and output upto 3m), Paralleling kit (Hot Standby Configuration), Paralleling kit for synchronizing (Parallel Redundant Load Sharing Configuration), SNMP Card ( with Suitable Software ) for communication, The UPS shall be complete with Trolley for battery bank,battery, Cables and connectors etc, NA
Salient Features	Protection	Protection for under voltage at battery terminal
	Metering	Input Voltage
	Alarms and Indications	Indicator for Mains presence
	Additional Features	Pure Sinewave AC Output
Design / Construction	<b>Type of Design / Construction</b>	Floor Standing, Rack Mountable
	Enclosure (mm)	1.2 mm Minimum Thickness of M.S. Sheet duly powder coated
	Degree of Protection	IP21 Or higher
	Other Constructional Features	Mains ON/OFF MCB
Operating Conditions	Minimum Operating Temperature	-5 Or lower ( <b>degree Celsius</b> )
	Maximum Operating Temperature	50 Or higher ( <b>degree Celsius</b> )
	Relative Humidity Non Condensing at 40 deg C	95 Or higher ( <b>percent</b> )
Buyer Specific Requirement	Environmental Test Report Requirements	NA
	Battery Test Report	NA
	Intended Applications	Critical Infrastructure
	Other Requirements	ROHS compliance
Reports And Certification	Type of lab which carried out Test of Complete Product to prove the conformity of product as per specification	OEM
	Agree to provide all relevant documents Test Reports/supporting document /reports etc to the buyer at the time of bidding or on demand	Yes
	As per Meity (Government of India) guidelines UPS shall have valid BIS CRS certifications as applicable	Yes (For UPS rating upto 10KVA)

**Additional Specification Parameters - Online UPS (V2) ( 16 pieces )**

Specification Parameter Name	Bid Requirement (Allowed Values)
Total Required Quantity of 2.0 KVA Online UPS	16 Nos.
Warranty for UPS (Years)	03 Years
Warranty for battery (Years) by Battery Manufacture/Brand	03 years

\* Bidders offering must also comply with the additional specification parameters mentioned above.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Rajendra Singh Kapuria	110037,GBS CISF Unit Mahipalpur New Delhi	16	90

**Online UPS (V2) ( 12 pieces )**

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Bis Required	Yes
--------------	-----

**Technical Specifications/तकनीकी विशिष्टियाँ**

\* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Generic	<b>Rating in KVA</b>	5.0 KVA
	<b>Switching Technology</b>	IGBT-PWM
	<b>Input Voltage</b>	AC Single phase 160V - 260V 50Hz, AC Three phase 300 V - 450V sinewave 50Hz
	<b>Output Voltage</b>	AC Single phase 230V +/-1% 50 Hz, AC 3 Phase 400V +/-1% with alternative user settable setting of 380V +/-1% 50 Hz, AC 3 phase 415V having a variable setting the range starting from 380 volt - variable upto to 415 volt.
	<b>Warranty for UPS (Years)</b>	1, 2, 3, 4, 5 Or higher



Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Battery/Backup Bank	<b>Battery/Backup Bank Provided with Online UPS ( Hint: In case the UPS is supplied with battery, seller shall ensure compliance to the GST Rates as per recommendations made in the 45th Meeting of GST council dated 17th Sep 2021 )</b>	With Battery
	<b>Type of Battery (hint: NA in case Battery not provided)</b>	SMF-VRLA conforming to JISC:8702(Pt.I,II&III), Stationary Lead Acid Batteries (with tubular positive plates) in monobloc container conforming to IS:13369:1992 latest, Stationary Cells and Batteries, Lead Acid type (with tubular positive plates) conforming to IS:1651:1991 latest
	<b>Backup time (Minutes) (hint: NA in case battery not provided)</b>	60 Minutes
	Minimum Guaranteed VAH	1600 X Per KVA X Per hour of backup time
	<b>Warranty for battery (Years) by Battery Manufacaturer/Brand hint: NA in case battery not provided</b>	1, 2, 3, NA Or higher
	Accessories with Battery	NA
Installation and Commissioning or Service	Installation and Commissioning ( Covered in the Scope of Supply)	Provided
	After sales service ( Turn Around Time)	Within 24 hours, Within 48 hours, Within 7 days, NA
	Preventive Maintenance ( Hint: Mention Timeline if provided, NA if not provided)	Monthly Or higher
	Other Services provided	PAN India service support on 24 x 7 basis, AMC support available warranty, Availability of spares in close proximity (Spares should be easily available close to the site), NA
Performance / Functional	<b>Inbuilt isolation transformer</b>	With, Without
	<b>Overall Efficiency (%)</b>	>/=80% & <90% with Inbuilt isolation transformer, >/=90% with Inbuilt isolation transformer, >/=90% & <94% without Inbuilt isolation transformer, >/=94% without Inbuilt isolation transformer
	<b>Overload limit</b>	20% Overload for minimum 10 minute, 20% Overload for minimum 5 minute, 50% Overload for minimum 1 minute, 50% Overload for minimum 3 seconds
	Total Harmonic Distortion(THD) (%)	3% Maximum @ 100% Linear Load

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Other Functional Features	Crest factor on full non-linear load is not less than 3:1
Accessories	<b>Accessories</b>	Rack for Batteries, Cabling 6 meters ( input upto 3m and output upto 3m), Paralleling kit (Hot Standby Configuration), Paralleling kit for synchronizing (Parallel Redundant Load Sharing Configuration), SNMP Card ( with Suitable Software ) for communication, The UPS shall be complete with Trolley for battery bank,battery, Cables and connectors etc, NA
Salient Features	Protection	Protection for under voltage at battery terminal, Short Circuit & over load at UPS output terminal
	Metering	Input Voltage, Output Voltage
	Alarms and Indications	Indicator for Mains presence, Indicator for Battery charging and discharging
	Additional Features	Pure Sinewave AC Output
Design / Construction	<b>Type of Design / Construction</b>	Floor Standing, Rack Mountable
	Enclosure (mm)	1.2 mm Minimum Thickness of M.S. Sheet duly powder coated
	Degree of Protection	IP21 Or higher
	Other Constructional Features	UPS shall be free from workmanship defects, sharp edges, nicks, scratches, burst, etc. All fasteners shall be fixed properly. The equipment shall be complete with all parts and all parts shall be functional
Operating Conditions	Minimum Operating Temperature	0, -5 Or lower ( <b>degree Celsius</b> )
	Maximum Operating Temperature	50 Or higher ( <b>degree Celsius</b> )
	Relative Humidity Non Condensing at 40 deg C	95 Or higher ( <b>percent</b> )
Buyer Specific Requirement	Environmental Test Report Requirements	NA
	Battery Test Report	NA
	Intended Applications	NA
	Other Requirements	KW rating shall be 0.8 time of KVA rating
Reports And Certification	Type of lab which carried out Test of Complete Product to prove the conformity of product as per specification	OEM
	Agree to provide all relevant documents Test Reports/supporting document /reports etc to the buyer at the time of bidding or on demand	Yes

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	As per Meity (Government of India) guidelines UPS shall have valid BIS CRS certifications as applicable	Yes (For UPS rating upto 10KVA)

#### Additional Specification Parameters - Online UPS (V2) ( 12 pieces )

Specification Parameter Name	Bid Requirement (Allowed Values)
Total Required Quantity of 5.0 KVA Online UPS :	12 Nos.
Warranty for UPS (Years) :	03 Years
Warranty for battery (Years) by Battery Manufacture/Brand:	03 Years

\* Bidders offering must also comply with the additional specification parameters mentioned above.

#### Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Rajendra Singh Kapuria	110037,GBS CISF Unit Mahipalpur New Delhi	12	90

#### Online UPS (V2) ( 2 pieces )

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

#### Technical Specifications/तकनीकी विशिष्टियाँ

\* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Generic	Rating in KVA	1.0 KVA, 2.0 KVA, 3.0 KVA, 5.0 KVA, 6.0 KVA, 7.5 KVA, 10.0 KVA, 15.0 KVA, 20.0 KVA, 25.0 KVA, 30.0 KVA, 40.0 KVA, 50.0 KVA, 60.0 KVA, 80.0 KVA, 100.0 KVA, 120 KVA, 160 KVA, 200 KVA, 300.0 KVA, 500.0 KVA, 800.0 KVA

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	<b>Switching Technology</b>	IGBT-PWM
	<b>Input Voltage</b>	AC Single phase 160V - 260V 50Hz, AC Three phase 300 V - 450V sinewave 50Hz
	<b>Output Voltage</b>	AC Single phase 230V +/-1% 50 Hz, AC 3 Phase 400V +/-1% with alternative user settable setting of 380V +/-1% 50 Hz, AC 3 phase 415V having a variable setting the range starting from 380 volt - variable upto to 415 volt.
	<b>Warranty for UPS (Years)</b>	1, 2, 3, 4, 5 Or higher
Battery/Backup Bank	<b>Battery/Backup Bank Provided with Online UPS ( Hint: In case the UPS is supplied with battery, seller shall ensure compliance to the GST Rates as per recommendations made in the 45th Meeting of GST council dated 17th Sep 2021 )</b>	With Battery, Without Battery
	<b>Type of Battery (hint: NA in case Battery not provided)</b>	SMF-VRLA conforming to JISC:8702(Pt.I,II&III), Stationary Lead Acid Batteries (with tubular positive plates) in monobloc container conforming to IS:13369:1992 latest, Stationary Cells and Batteries, Lead Acid type (with tubular positive plates) conforming to IS:1651:1991 latest, NA
	<b>Backup time (Minutes) (hint: NA in case battery not provided)</b>	15 Minutes, 30 Minutes, 60 Minutes, 90 Minutes, 120 Minutes, 180 Minutes, 240 Minutes, NA
	<b>Warranty for battery (Years) by Battery Manufacaturer/Brand hint: NA in case battery not provided</b>	1, 2, 3, NA Or higher
Performance / Functional	<b>Inbuilt isolation transformer</b>	With, Without
	<b>Overall Efficiency (%)</b>	>/=80% & <90% with Inbuilt isolation transformer, >/=90% with Inbuilt isolation transformer, >/=90% & <94% without Inbuilt isolation transformer, >/=94% without Inbuilt isolation transformer
	<b>Overload limit</b>	20% Overload for minimum 10 minute, 20% Overload for minimum 5 minute, 50% Overload for minimum 1 minute, 50% Overload for minimum 3 seconds
Accessories	<b>Accessories</b>	Rack for Batteries, Cabling 6 meters ( input upto 3m and output upto 3m), Paralleling kit (Hot Standby Configuration), Paralleling kit for synchronizing (Parallel Redundant Load Sharing Configuration), SNMP Card ( with Suitable Software ) for communication, The UPS shall be complete with Trolley for battery bank,battery, Cables and connectors etc, NA

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Design / Construction	Type of Design / Construction	Floor Standing, Rack Mountable

**Additional Specification Parameters - Online UPS (V2) ( 2 pieces )**

Specification Parameter Name	Bid Requirement (Allowed Values)
Total Required Quantity of 7.5 KVA Online UPS :	02 Nos.
Warranty for UPS (Years) :	03 Years
Warranty for battery (Years) by Battery Manufacture/Brand:	03 Years

\* Bidders offering must also comply with the additional specification parameters mentioned above.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Rajendra Singh Kapuria	110037,GBS CISF Unit Mahipalpur New Delhi	2	90

**Special terms and conditions-Version:1 effective from 06-07-2022 for category Online UPS (V2)**

- In addition to General Terms and Conditions of GeM, the following Special T&C shall be applicable for Online UPS ( Version 2.0) with reference to Installation and Commissioning.

Seller's Responsibility: Installation and Commissioning shall involve all the interconnections, any cabling between power source, switch boards within 3 metre range for input power and connecting Output power in the Scope of seller.

Buyer's Responsibility: Buyer will ensure well ventilated/covered site/room having requisite power points/distribution board to provide input power to UPS as well as to take out power from UPS within 3 metre of the location of UPS placement.

The above is not applicable for the stores supplied without installation and commissioning.

Note: The above is indicative and any incidental requirement related to above responsibilities shall also be considered in the responsibilities of Buyer/Seller as applicable.

**Buyer Added Bid Specific Terms and Conditions/क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें**

1. **Generic**

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity by up to 25% of the contracted quantity during the currency of the contract at the contracted rates. Bidders are bound to accept the orders accordingly.

2. **Generic**

Actual delivery (and Installation & Commissioning (if covered in scope of supply)) is to be done at following address

Various Government Buildings/Bhawans, Located under NCR Region  
The Security of which are being provide by  
CISF Unit CGBS  
Mahipalpur Campus  
New Delhi-110037

3. **Generic**

**Bidder financial standing:** The bidder should not be under liquidation, court receivership or similar proceedings, should not be bankrupt. Bidder to upload undertaking to this effect with bid.

4. **Generic**

Bidders shall quote only those products (Part of Service delivery) in the bid which are not obsolete in the market and has at least 5 years residual market life i.e. the offered product shall not be declared end-of-life by the OEM before this period.

5. **Generic**

Data Sheet of the product(s) offered in the bid, are to be uploaded along with the bid documents. Buyers can match and verify the Data Sheet with the product specifications offered. In case of any unexplained mismatch of technical parameters, the bid is liable for rejection.

6. **Generic**

Installation, Commissioning, Testing, Configuration, Training (if any - which ever is applicable as per scope of supply) is to be carried out by OEM / OEM Certified resource or OEM authorised Reseller.

7. **Generic**

Malicious Code Certificate:

The seller should upload following certificate in the bid:-

(a) This is to certify that the Hardware and the Software being offered, as part of the contract, does not contain Embedded Malicious code that would activate procedures to :-

- (i) Inhibit the desires and designed function of the equipment.
- (ii) Cause physical damage to the user or equipment during the exploitation.
- (iii) Tap information resident or transient in the equipment/network.

(b) The firm will be considered to be in breach of the procurement contract, in case physical damage, loss of information or infringements related to copyright and Intellectual Property Right (IPRs) are caused due to activation of any such malicious code in embedded software.

8. **Generic**

**Manufacturer Authorization:**Wherever Authorised Distributors/service providers are submitting the bid, Authorisation Form /Certificate with OEM/Original Service Provider details such as name, designation, address, e-mail Id and Phone No. required to be furnished along with the bid

9. **Generic**

Products supplied shall be nontoxic and harmless to health. In the case of toxic materials, Material Safety Data Sheet may be furnished along with the material.

#### 10. **Generic**

Without prejudice to Buyer's right to price adjustment by way of discount or any other right or remedy available to Buyer, Buyer may terminate the Contract or any part thereof by a written notice to the Seller, if:

- i) The Seller fails to comply with any material term of the Contract.
- ii) The Seller informs Buyer of its inability to deliver the Material(s) or any part thereof within the stipulated Delivery Period or such inability otherwise becomes apparent.
- iii) The Seller fails to deliver the Material(s) or any part thereof within the stipulated Delivery Period and/or to replace/rectify any rejected or defective Material(s) promptly.
- iv) The Seller becomes bankrupt or goes into liquidation.
- v) The Seller makes a general assignment for the benefit of creditors.
- vi) A receiver is appointed for any substantial property owned by the Seller.
- vii) The Seller has misrepresented to Buyer, acting on which misrepresentation Buyer has placed the Purchase Order on the Seller.

#### 11. **Scope of Supply**

Scope of supply (Bid price to include all cost components) : Supply Installation Testing and Commissioning of Goods

#### 12. **Turnover**

Bidder Turn Over Criteria: The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

#### 13. **Turnover**

OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria. In case of bunch bids, the OEM of CATEGORY RELATED TO primary product having highest bid value should meet this criterion.

#### 14. **OEM**

IMPORTED PRODUCTS: In case of imported products, OEM or Authorized Seller of OEM should have a registered office in India to provide after sales service support in India. The certificate to this effect should be submitted.

#### 15. **Service & Support**

Dedicated /toll Free Telephone No. for Service Support : BIDDER/OEM must have Dedicated/toll Free Telephone No. for Service Support.

#### 16. **Inspection**

**Nominated Inspection Agency:** On behalf of the Buyer organization, any one of the following Inspection Agency would be conducting inspection of stores before acceptance:  
Pre-dispatch Inspection at Seller Premises (applicable only if pre-dispatch inspection clause has been selected in ATC):

Nil

Post Receipt Inspection at consignee site before acceptance of stores:  
By the Board of Officers

**17. Certificates**

Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.

**18. Certificates**

The bidder is required to upload, along with the bid, all relevant certificates such as BIS licence, type test certificate, approval certificates and other certificates as prescribed in the Product Specification given in the bid document.

**19. Warranty**

Warranty period of the supplied products shall be 3 years from the date of final acceptance of goods or after completion of installation, commissioning & testing of goods (if included in the scope of supply), at consignee location. OEM Warranty certificates must be submitted by Successful Bidder at the time of delivery of Goods. The seller should guarantee the rectification of goods in case of any break down during the guarantee period. Seller should have well established Installation, Commissioning, Training, Troubleshooting and Maintenance Service group in INDIA for attending the after sales service. Details of Service Centres near consignee destinations are to be uploaded along with the bid.

**20. Warranty**

Successful bidder will have to ensure that adequate number of dedicated technical service personals / engineers are designated / deployed for attending to the Service Request in a time bound manner and for ensuring Timely Servicing / rectification of defects during warranty period, as per Service level agreement indicated in the relevant clause of the bid.

**21. Warranty**

Timely Servicing / rectification of defects during warranty period: After having been notified of the defects / service requirement during warranty period, Seller has to complete the required Service / Rectification within 3 days time limit. If the Seller fails to complete service / rectification with defined time limit, a penalty of 0.5% of Unit Price of the product shall be charged as penalty for each week of delay from the seller. Seller can deposit the penalty with the Buyer directly else the Buyer shall have a right to recover all such penalty amount from the Performance Security (PBG). Cumulative Penalty cannot exceed more than 10% of the total contract value after which the Buyer shall have the right to get the service / rectification done from alternate sources at the risk and cost of the Seller besides forfeiture of PBG. Seller shall be liable to re-imburse the cost of such service / rectification to the Buyer.

**22. Forms of EMD and PBG**

Bidders can also submit the EMD with Account Payee Demand Draft in favour of

Assistant Commandant/DDO, Office of the Inspector General, CISF NCR Sector HQrs. 5th Floor, Block-11, C  
GO Complex, Lodhi Road, New Delhi-110003  
payable at  
SBI Branch, CGO Complex, New Delhi-110003

Bidder has to upload scanned copy / proof of the DD along with bid and has to ensure delivery of hardcopy to the Buyer within 5 days of Bid End date / Bid Opening date.

**23. Forms of EMD and PBG**

Bidders can also submit the EMD with Fixed Deposit Receipt made out or pledged in the name of A/C (Name of the Buyer). The bank should certify on it that the deposit can be withdrawn only on the demand or with the sanction of the pledgee. For release of EMD, the FDR will be released in the favour of the bidder by the Buyer after making endorsement on the back of the FDR duly signed and stamped along



with covering letter. Bidder has to upload scanned copy/ proof of the FDR along with bid and has to ensure delivery of hardcopy to the Buyer within 5 days of Bid End date/ Bid Opening date

#### 24. **Forms of EMD and PBG**

Successful Bidder can submit the Performance Security in the form of Account Payee Demand Draft also (besides PBG which is allowed as per GeM GTC). DD should be made in favour of

Assistant Commandant/DDO, Office of the Inspector General, CISF NCR Sector HQrs. 5th Floor, Block-11, CGO Complex, Lodhi Road, New Delhi-110003

payable at

SBI Branch, CGO Complex, New Delhi-110003

. After award of contract, Successful Bidder can upload scanned copy of the DD in place of PBG and has to ensure delivery of hard copy to the original DD to the Buyer within 15 days of award of contract.

#### 25. **Forms of EMD and PBG**

Successful Bidder can submit the Performance Security in the form of Fixed Deposit Receipt also (besides PBG which is allowed as per GeM GTC). FDR should be made out or pledged in the name of

Assistant Commandant/DDO, Office of the Inspector General, CISF NCR Sector HQrs. 5th Floor, Block-11, CGO Complex, Lodhi Road, New Delhi-110003

A/C (Name of the Seller). The bank should certify on it that the deposit can be withdrawn only on the demand or with the sanction of the pledgee. For release of Security Deposit, the FDR will be released in favour of bidder by the Buyer after making endorsement on the back of the FDR duly signed and stamped along with covering letter. Successful Bidder has to upload scanned copy of the FDR document in place of PBG and has to ensure delivery of hard copy of Original FDR to the Buyer within 15 days of award of contract.

#### 26. **Buyer Added Bid Specific ATC**

Buyer Added text based ATC clauses

**(i) Past Performance criteria:** 10% of similar category products of bid quantity, in at least one of the last five (5) financial years before the bid opening date to any Central / State Govt. Organization / PSU / Public Listed Company may be kept in the bid, which is the lowest possible value for this criterion.

**(ii) Proof of supply:** The bidder should upload copies of the invoice, CRAC/copy of the acceptance of stores/third-party inspection release note corresponding to the enclosed contracts/supply orders in support of proof of supply as required in the bid.

**(iii) False documents:** If it is found that the CA certificate/documents pertaining to proof of supply/experience certificate/lab report are false, manipulated, or edited, the bid will be rejected at any stage of the procurement and legal action as per T&C of GeM will be initiated against the defaulter/firm.

**(iv) Warranty:** A 3-year warranty is required for the 2 KVA, 5 KVA, and 7.5 KVA Online UPS units, as well as the batteries. Participating bidders must submit a compliance certificate when uploading the technical bid and again at the time of delivery of the goods.

**(v) Specification conformity:** Participating firms/suppliers must ensure that their products, including the 2 KVA, 5 KVA, and 7.5 KVA Online UPS units, as well as the batteries, fully comply with the QRs/Technical Specifications specified in the Buyer Added Text-based ATC. In this regard, bidders are required to submit an acceptance certificate along with a data sheet listing the required values of the QRs/Technical Specifications. Please ignore the GeM category specifications and their values mentioned in the bid document for the subject store, as the procurement of the required quantities of the 2 KVA, 5 KVA, and 7.5 KVA Online UPS units, as well as the batteries, will be strictly based on the QRs/Technical Specifications provided below:

Ø Total Required Quantity of 2.0 KVA Online UPS is 16 Nos.

Ø Total Required Quantity of 5.0 KVA Online UPS is 12 Nos.

Ø Total Required Quantity of 7.5 KVA Online UPS is 02 Nos.

S/N	QRs/Technical Specifications	Required Values for 2 KVA Online UPS with Batteries	Required Values for 5 KVA Online UPS with Batteries	Required Values for 7.5 KVA Online UPS with Batteries
01	Rating in KVA	2.0 KVA	5.0 KVA	7.5 KVA
02	Switching technology	IGBT-PWM	IGBT-PWM	IGBT-PWM
03	Input voltage	AC Single phase 160V - 260V 50Hz	AC Single phase 160V - 260V 50Hz	AC Single phase 160V - 260V 50Hz
04	Output Voltage	AC Single phase 230V +/-1% 50 Hz	AC Single phase 230V +/-1% 50 Hz	AC Single phase 230V +/-1% 50 Hz
05	Warranty for UPS (Years)	03 years	03 years	03 years
06	Battery::Backup Bank Provided with Online UPS ( Hint: In case the UPS is supplied with battery, seller shall ensure compliance to the GST Rates as per recommendations made in the 45th Meeting of GST council dated 17th Sep 2021 )	With Battery	With Battery	With Battery
06	Type of Battery	Lead Acid type (with tubular positive plates) conforming to IS:1651:1991 latest	Lead Acid type (with tubular positive plates) conforming to IS:1651:1991 latest	Lead Acid type (with tubular positive plates) conforming to IS:1651:1991 latest
07	Backup time (Minutes)	60 Minutes	60 Minutes	60 Minutes
08	After sales service ( Turn Around Time)	24 Hrs.	24 Hrs.	24 Hrs.
09	Accessories	<ul style="list-style-type: none"> <li>· Cabling 6 meters ( input upto 3m and output upto 3m)</li> <li>· Paralleling kit (Hot Standby Configuration)</li> <li>· Rack for Batteries</li> <li>· The UPS shall be complete with Trolley for battery bank, battery, Cables and connectors etc.</li> </ul>	<ul style="list-style-type: none"> <li>· Cabling 6 meters ( input upto 3m and output upto 3m)</li> <li>· Paralleling kit (Hot Standby Configuration)</li> <li>· Rack for Batteries</li> <li>· The UPS shall be complete with Trolley for battery bank, battery, Cables and connectors etc.</li> </ul>	<ul style="list-style-type: none"> <li>· Cabling 6 meters ( input upto 3m and output upto 3m)</li> <li>· Paralleling kit (Hot Standby Configuration)</li> <li>· Rack for Batteries</li> <li>· The UPS shall be complete with Trolley for battery bank, battery, Cables and connectors etc.</li> </ul>

10	Alarms and Indications	<ul style="list-style-type: none"> <li>· Alarm for Low Battery</li> <li>· Alarm for Over temperature</li> <li>· Indicator for Low Battery Voltage with Audible Alarm</li> <li>· Indicator for Battery charging and discharging</li> <li>· Indicator for Mains presence</li> <li>· Indicator for Output Over Load with Audible Alarm</li> </ul>	<ul style="list-style-type: none"> <li>· Alarm for Low Battery</li> <li>· Alarm for Over temperature</li> <li>· Indicator for Low Battery Voltage with Audible Alarm</li> <li>· Indicator for Battery charging and discharging</li> <li>· Indicator for Mains presence</li> <li>· Indicator for Output Over Load with Audible Alarm</li> </ul>	<ul style="list-style-type: none"> <li>· Alarm for Low Battery</li> <li>· Alarm for Over temperature</li> <li>· Indicator for Low Battery Voltage with Audible Alarm</li> <li>· Indicator for Battery charging and discharging</li> <li>· Indicator for Mains presence</li> <li>· Indicator for Output Over Load with Audible Alarm</li> </ul>
11	Environmental Test Report Requirements	Dry Heat Test : in accordance with IS:9000 (part 3/sec.5)1977 (reaffirmed 2007) at 55 degree C for 16 hrs	Dry Heat Test : in accordance with IS:9000 (part 3/sec.5)1977 (reaffirmed 2007) at 55 degree C for 16 hrs	Dry Heat Test : in accordance with IS:9000 (part 3/sec.5)1977 (reaffirmed 2007) at 55 degree C for 16 hrs
12	Battery Test Report	Capacity & Type Test Report as per relevant governing specifications from Govt Lab/NABL accredited lab	Capacity & Type Test Report as per relevant governing specifications from Govt Lab/NABL accredited lab	Capacity & Type Test Report as per relevant governing specifications from Govt Lab/NABL accredited lab
13	Type of lab which carried out Test of Complete Product to prove the conformity of product as per specification	Govt Lab/NABL accredited lab/OEM	Govt Lab/NABL accredited lab/OEM	Govt Lab/NABL accredited lab/OEM
14	Enclosure (mm)	1.2 mm Minimum Thickness of M.S. Sheet duly powder coated	1.2 mm Minimum Thickness of M.S. Sheet duly powder coated	1.2 mm Minimum Thickness of M.S. Sheet duly powder coated

15	Other Constructional Features	<ul style="list-style-type: none"> <li>· 1 + 1 parallel redundant configuration facility on Rack mountable UPS UPS shall supply output power and charging current at the same time</li> <li>· Battery Fuse</li> <li>· Battery ON/OFF MCB</li> <li>· Expandable rack facility</li> <li>· Inverter reset push button</li> <li>· Mains ON/OFF MCB</li> <li>· Manual by pass facility</li> <li>· Shall be complete with rack rail kit for mounting of UPS in the rack and shall be housed in rugged enclosure made of steel sheet having 1.2 mm (minimum) thickness, aesthetically finished, duly pretreated and powder coated</li> <li>· Static by pass facility</li> <li>· UPS shall be free from workmanship defects, sharp edges, nicks, scratches, burst, etc. All fasteners shall be fixed properly. The equipment shall be complete with all parts and all parts shall be functional</li> </ul>	<ul style="list-style-type: none"> <li>· 1 + 1 parallel redundant configuration facility on Rack mountable UPS UPS shall supply output power and charging current at the same time</li> <li>· Battery Fuse</li> <li>· Battery ON/OFF MCB</li> <li>· Expandable rack facility</li> <li>· Inverter reset push button</li> <li>· Mains ON/OFF MCB</li> <li>· Manual by pass facility</li> <li>· Shall be complete with rack rail kit for mounting of UPS in the rack and shall be housed in rugged enclosure made of steel sheet having 1.2 mm (minimum) thickness, aesthetically finished, duly pretreated and powder coated</li> <li>· Static by pass facility</li> <li>· UPS shall be free from workmanship defects, sharp edges, nicks, scratches, burst, etc. All fasteners shall be fixed properly. The equipment shall be complete with all parts and all parts shall be functional</li> </ul>	<ul style="list-style-type: none"> <li>· 1 + 1 parallel redundant configuration facility on Rack mountable UPS UPS shall supply output power and charging current at the same time</li> <li>· Battery Fuse</li> <li>· Battery ON/OFF MCB</li> <li>· Expandable rack facility</li> <li>· Inverter reset push button</li> <li>· Mains ON/OFF MCB</li> <li>· Manual by pass facility</li> <li>· Shall be complete with rack rail kit for mounting of UPS in the rack and shall be housed in rugged enclosure made of steel sheet having 1.2 mm (minimum) thickness, aesthetically finished, duly pretreated and powder coated</li> <li>· Static by pass facility</li> <li>· UPS shall be free from workmanship defects, sharp edges, nicks, scratches, burst, etc. All fasteners shall be fixed properly. The equipment shall be complete with all parts and all parts shall be functional</li> </ul>
16	Warranty for battery (Years) by Battery Manufacturer/Brand	03 Years	03 Years	03 Years

**(vi) Certificates & Lab Reports:** All required certificates and lab reports must be uploaded with the bid. Failure to do so will result in the bidder's disqualification.

**(vii) Principal/OEM Participation:** Either the Principal/OEM or its authorized dealer/agent may participate in the tender on behalf of the Principal/OEM, but both cannot bid simultaneously for the same item/product in the same tender (as per CVC Circular No. 03/10/12 dated 13/01/2012).

**(viii) Tender Cancellation:** The Procuring Entity may cancel the process of procurement or reject all bids at any time before intimating acceptance of successful bid under the circumstances mentioned in Clauses 173 of GFR 2017.

**(ix) Conformity of Additional Specifications:** Bidders are required to submit an acceptance certificate for the additional specification parameters outlined in the bid.

**(x) Format for Self Certification under Preference to "MAKE IN INDIA" Policy:**

With reference to the GeM bid No. \_\_\_\_\_ dated \_\_\_\_\_ in line with Government Public Procurement Order No. P-45021/2/2017-PP(BE-II) dt. 16.09.2020, as amended from time to time and as applicable on the date of submission of tender, we hereby certify that we M/s \_\_\_\_\_ (supplier name) are local supplier meeting the requirement of minimum Local content (50%) as defined in above orders for the material against Tender No. \_\_\_\_\_ Details of location at which local value addition will be made is as follows: \_\_\_\_\_

We also understand, false declarations will be in breach of the Code of Integrity under Rule 175(1)(i)(h) of the General Financial Rule for which for which a bidder or its successors can be debarred for up to two years as per Rule 151 (iii) of the General Financial Rules along with such other actions as may be permissible under law.

(Seal and Signature of Authorized Signatory)

**(xi) The bidder is required to submit Bid Security Declaration in the following format:**

**BID SECURITY DECLARATION CERTIFICATE**

(On Firm's Letter head)

Bidder's Name \_\_\_\_\_

[Address and Contact Details]

Bidder's Reference No. \_\_\_\_\_ Date \_\_\_\_\_

To

The Inspector General,  
CISF NCR Sector HQrs.  
5TH Floor, Block-11, CGO Complex,  
Lodhi Road, New Delhi-110003.

Ref: Tender Document No. Tend No. \_\_\_\_\_; Tender Title: \_\_\_\_\_

Sir/ Madam

We, the undersigned, solemnly declare that:

We understand that according to the conditions of this Tender Document, the bid must be supported by

y a Bid Securing Declaration in lieu of Bid Security.

We unconditionally accept the conditions of this Bid Securing Declaration. We understand that we shall stand automatically suspended from being eligible for bidding in any tender in Procuring Organization for 2 years from the date of opening of this bid if we breach our obligation(s) under the tender conditions if we :

Withdraw/ amend/ impair/ derogate, in any respect, from our bid, within the bid validity; or  
Being notified within the bid validity of the acceptance of our bid by the Procuring Entity:

(a) Refused to or failed to produce the original documents for scrutiny or the required Performance Security within the stipulated time under the conditions of the Tender Document.

(b) Fail or refuse to sign the contract. We know that this bid-Securing Declaration shall expire if the contract is not awarded to us, upon: Receipt by us of your notification Of cancellation of the entire tender process or rejection of all bids or Of the name of the successful bidder or Forty-five days after the expiration of the bid validity or any extension to it.

(Signature with date)

.....

(Name and designation)

Duly authorized to sign bid for and on behalf of.....

[Name & address of Bidder and seal of company]

Dated on ..... day of ..... [insert date of signing]

Place.....[ insert place of signing]

**(xii) The bidder is required to submit Blacklisted Declaration Certificate in the following format :**

-

**BLACKLISTED CERTIFICATE**

(On Firm's Letter head)

-

**To**

**The Inspector General,  
CISF NCR Sector HQrs.  
5TH Floor, Block-11, CGO Complex,  
Lodhi Road, New Delhi-110003**

**Sir,**

-

Tender/GeM Bid No. \_\_\_\_\_ dated \_\_\_\_\_ We, M/s \_\_\_\_\_  
\_\_\_\_\_ under take that our firm has never submitted any fake/forged/edited/misleading documents in any of the Govt. department in the last 3 years and our firm documents have never been found fake/forged/edited/misleading by any Govt. department in the last 3 years including instant bid.

(Seal and Signature of Authorized Signatory)

**(xiii) The bidder is required to submit Financial Standing Undertaking in the following format:**

-

**FINANCIAL STANDING UNDERTAKING**

(On Firm's Letter head)

-

**To**

**The Inspector General,  
CISF NCR Sector HQrs.  
5TH Floor, Block-11, CGO Complex,  
Lodhi Road, New Delhi-110003**

**Sir,**

-

Tender/GeM Bid No. \_\_\_\_\_ dated \_\_\_\_\_ We, M/s \_\_\_\_\_  
\_\_\_\_\_ under take that our firm has not been under liquidation, court receivership or similar proceedings,  
should not be bankrupt.

(Seal and Signature of Authorized Signatory)

## **Disclaimer/अस्वीकरण**

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export

experience.

11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

[This Bid is also governed by the General Terms and Conditions/ यह बिड सामान्य शर्तों के अंतर्गत भी शासित है](#)

In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws./जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो।बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।

**---Thank You/धन्यवाद---**